

Prepared for:
CBD For Life

30706 Bryant Dr.
Evergreen, CO USA 80439

CBD For Life Eye Serum

Batch ID or Lot Number: 241214	Test: Potency	Reported: 31Dec2024	USDA License: N/A
Matrix: Unit	Test ID: T000295948	Started: 31Dec2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 24Dec2024	Status: N/A


Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.208	2.845	ND	ND	# of Servings = 1, Sample Weight=14g
Cannabichromenic Acid (CBCA)	1.105	2.602	ND	ND	
Cannabidiol (CBD)	4.299	9.945	63.410	4.50	
Cannabidiolic Acid (CBDA)	4.409	10.200	ND	ND	
Cannabidivarin (CBDV)	1.017	2.352	ND	ND	
Cannabidivarinic Acid (CBDVA)	1.839	4.255	ND	ND	
Cannabigerol (CBG)	0.686	1.615	ND	ND	
Cannabigerolic Acid (CBGA)	2.868	6.752	ND	ND	
Cannabinol (CBN)	0.895	2.107	ND	ND	
Cannabinolic Acid (CBNA)	1.957	4.607	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	3.417	8.044	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	3.103	7.305	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	2.749	6.473	ND	ND	
Tetrahydrocannabivarin (THCV)	0.624	1.469	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	2.425	5.709	ND	ND	
Total Cannabinoids			63.410	4.50	
Total Potential THC			ND	ND	
Total Potential CBD			63.410	4.50	

Final Approval


Judith Marquez
31Dec2024
04:44:00 PM MST

PREPARED BY / DATE


Sam Smith
31Dec2024
04:48:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/ae5b997e-e84f-4d60-a759-d2c7b59438f5>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
ae5b997ee84f4d60a759d2c7b59438f5.1